IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named

Inventor : Stephen T. Kuehn

Appln. No.: 10/034,589

Filed: December 28, 2001

For : ANNULOPLASTY RING HOLDER

Docket No.: S16.12-0128

Group Art Unit:

Examiner:

PRELIMINARY AMENDMENT

Box Non-Fee Amendment Commissioner for Patents Washington, D.C. 20231 I HEREBY CERTIFY THAT THIS PAPER IS BEING SENT BY U.S. MAIL, FIRST CLASS, TO THE ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231, THIS

PATENT ATTORNEY

200

Sir:

Please amend the above-identified application as follows:

. IN THE CLAIMS

Please add new claims 17-21 as follows:

- 17. (New) A handle for coupling to an apparatus used in implanting a heart prosthetic, comprising:
 - an elongate shaft, a gripping portion coupled to one end of the elongate shaft, the gripping portion including ribs; and
 - a tip coupled to the other end of the shaft, the tip including a knob configured to be locked in the apparatus and an abutting surface configured to abut the apparatus.
- 18. (New) The apparatus of claim 17 wherein the handle includes flat portions.
- 19. (New) The apparatus of claim 18 wherein the tip includes walls and the flat portions of the handle are aligned with the 04/12/2002 CCMAUI 00000113 10034589

walls of the tip.

20. (New) The apparatus of claim 17 wherein the tip includes walls.

21. (New) The apparatus of claim 20 wherein the walls are tapered.

REMARKS

This is a Preliminary Amendment to the above-identified application filed December 28, 2001. With this Amendment, please add claims 17-21.

Consideration and favorable action are respectfully submitted.

The Director is authorized to charge any fee deficiency required by this paper or credit any overpayment to Deposit Account No. 23-1123.

Respectfully submitted,

WESTMAN, CHAMPLIN & KELLY, P.A.

Judson K. Champlin, Reg. No. 34,797

Suite 1600 - International Centre

900 Second Avenue South

Minneapolis, Minnesota 55402-3319

Phone: (612) 334-3222 Fax: (612) 334-3312

JKC:lrs



MARKED-UP VERSION OF REPLACEMENT CLAIMS

- 17. (New) A handle for coupling to an apparatus used in implanting a heart prosthetic, comprising:
 - an elongate shaft, a gripping portion coupled to one end of the elongate shaft, the gripping portion including ribs; and
 - a tip coupled to the other end of the shaft, the tip including a knob configured to be locked in the apparatus and an abutting surface configured to abut the apparatus.
- 18. (New) The apparatus of claim 17 wherein the handle includes flat portions.
- 19. (New) The apparatus of claim 18 wherein the tip includes walls and the flat portions of the handle are aligned with the walls of the tip.
- 20. (New) The apparatus of claim 17 wherein the tip includes walls.
- 21. (New) The apparatus of claim 20 wherein the walls are tapered.